
LED Interior Pendant





PRODUCT DESCRIPTION

Inspired by a minimalist sensibility, these jeweled pendants are classy and simple. Available in 3 sizes from 19" to 28" to dramatically scaled at 37" long.

FEATURES

- ETL & cETL damp location listed
- Hand cut clear crystal
- Driver located in canopy
- Universal driver (120V-220V-277V)
- Full range dimming when used with compatible dimmers*
- 60,000 hour rated life
- Color Temp: 3500K
- CRI: 90

SPECIFICATIONS

Construction: Aluminum and K-2 Hand cut clear crystal

Light Source: High output LED.

Finish: Polished Nickel (PN)

Standards: ETL & cETL damp location listed.


ORDER NUMBER

	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-41719 PD-41728 PD-47137	19" 28" 37"	7.5W	120V-277V	460	395	PN	Polished Nickel	

Example: PD-41728-PN

LED Interior Chandeliers





PRODUCT DESCRIPTION

Inspired by a minimalist, industrial sensibility, cascading silhouettes spiral downward in various configurations. Exclusive hand cut clear crystal is crafted with unique hardware configurations for a brilliant shower of light. Multiple configurations available. Stunning polished nickel finish. Full range dimming.

FEATURES

- ETL & cETL damp location listed
- Hand cut clear crystal
- · Driver located in canopy
- Universal driver (120V-220V-277V)
- Full range dimming when used with compatible dimmers*
- 60,000 hour rated life
- Color Temp: 3500K
- CRI: 90

SPECIFICATIONS

Construction: Aluminum and K-2 Hand cut clear crystal

Light Source: High output LED.

Finish: Polished Nickel (PN)

Standards: ETL & cETL damp location listed.


ORDER NUMBER

	# of lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-41703R	3 lights	23W		1380	1185	
PD-41705R	5 lights	38W		2300	1975	
PD-41709R	9 lights	68W	120V-277V	4140	3580	PN Polished Nickel
PD-41715R	15 lights	113W		6895	5900	
PD-41721R	21 lights	158W		9655	8265	

Example: PD-41705R-PN

LED Interior Chandeliers





PD-41721R

PRODUCT DESCRIPTION

Inspired by a minimalist, industrial sensibility, cascading silhouettes spiral downward in various configurations. Exclusive hand cut clear crystal is crafted with unique hardware configurations for a brilliant shower of light. Multiple configurations available. Stunning polished nickel finish. Full range dimming.

FEATURES

- ETL & cETL damp location listed
- Hand cut clear crystal
- Driver located in canopy
- Universal driver (120V-220V-277V)
- Full range dimming when used with compatible dimmers*
- 60,000 hour rated life
- Color Temp: 3500K
- CRI: 90

SPECIFICATIONS

Construction: Aluminum and K-2 Hand cut clear crystal

Light Source: High output LED.

Finish: Polished Nickel (PN)

Standards: ETL & cETL damp location listed.

ORDER NUMBER

	# of lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-41703R	3 lights	23W		1380	1185		
PD-41705R	5 lights	38W		2300	1975		
PD-41709R	9 lights	68W	120V-277V	4140	3580	PN Polished Nickel	
PD-41715R	15 lights	113W		6895	5900		
PD-41721R	21 lights	158W		9655	8265		

Example: PD-41705R-PN


modernforms.com Phone (800) 526.2588 Fax (800) 526.2585 Headquarters/Eastern Distribution Center 44 Harbor Park Drive Port Washington, NY 11050 Central Distribution Center 1600 Distribution Ct Lithia Springs, GA 30122 Western Distribution Center 1750 Archibald Avenue Ontario, CA 91760


LED Interior Chandeliers














PRODUCT DESCRIPTION

Inspired by a minimalist, industrial sensibility, cascading silhouettes spiral downward in various configurations. Exclusive hand cut clear crystal is crafted with unique hardware configurations for a brilliant shower of light. Multiple configurations available. Stunning polished nickel finish. Full range dimming.

FEATURES

- ETL & cETL damp location listed
- Hand cut clear crystal
- Driver located in standard 4" junction box
- Universal driver (120V-220V-277V)
- Full range dimming when used with compatible dimmers*
- 60,000 hour rated life
- Color Temp: 3500K
- CRI: 90

SPECIFICATIONS

Construction: Aluminum and K-2 Hand cut clear crystal

Light Source: High output LED.

Finish: Polished Nickel (PN)

Project:

Standards: ETL & cETL damp location listed.

ORDER NUMBER

	# of lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-41703L PD-41705L PD-41723L	3 lights 5 lights 23 lights	23W 38W 173W	120V-277V	1380 2300 10575	1185 1975 9050	PN Polished Nickel

Example: PD-41705L-PN As shown